

Synthetic oil.

Developed using Low SAPS technology designed for Euro 5 and 6 engines, Diesel with Particle Filter (PF) and Petrol with catalytic converter to optimise the operation and lifespan of aftertreatment systems.

PERFORMANCES

Standards: ACEA C3

Specifications: VW 504.00/507.00* VW 503.00/506.01/502.00/505.00/505.01 MB 229.51 PORSCHE C30 BML LL-04

1/2

* The oil's compliance with this specification is currently being approved. Use recommended under manufacturers' warranties.

ORGANISATIONS & MANUFACTURERS - Scope of application -

ACEA C3: requiring a Low SAPS oil (low concentration of sulphated ash <0.8%, 0.07%<Phosphorus<0.09%,S<0.3%=ACEA C2), with HTHS viscosity>3.5mPa.S and achieving the max. oil-change intervals determined by the manufacturer.

VW 504.00/507.00: for all VW engines, Petrol with or without catalytic converter and Diesel with or without PF except for V10 and R5 engines in the Touareg-Phaeton-Transporter (VW 506.01).

VW 502.00: level ACEA A3-96 plus engine test PV1449 for Petrol engines.

VW 505.00: level ACEA B3 for natural-aspiration or supercharged Diesel engine. Max. oil change at 15 000 Kms.

VW 505.01: for all Diesel engines in the VW group equipped with a pump injector (or not).

PORSCHE C30: for all PORSCHE Diesel and Petrol V6 engines.

BMW LL-04: for all Petrol or Diesel engines produced since 2004. Fully covers BMW LL-98 and BMW LL-01.



Characteristics	Standards	Units	Values
Viscosity 40℃	ASTM D445	mm²/s	73.4
Viscosity 100℃	ASTM D445	mm²/s	11.9
Viscosity index	NF T 60-136	-	158
Pour point	ASTM D2602	Ĵ	-45
Flash point	ASTM D92	C	212
Density at 20℃	NFT 60-101	g/cm3	0.856

Characteristics are given for information only and correspond with our manufacturing standards. IGOL reserves the right to modify them to provide its customers with the benefits of technical progress. Before using this product read the instructions for use and the environmental impacts mentioned in the technical and safety data sheets. The information given above is based on the current level of knowledge relative to the product concerned. The product user should take all useful precautions relative to its use. IGOL can in no circumstances be held responsible for damage resulting from incorrect use.

Documentary reference : I-42-1507 Date of issue : 28/07/2015

2/2