
Printing date 13.02.2015

Version number 1

Revision: 19.01.2015



Printing date 13.02.2015

Version number 1

Revision: 19.01.2015

(Contd. of page 1)

Trade name: ARDECA PURE SPORTS 5W30

vPvB: Not applicable.

| SECTION 3: | Comp | osition/info | ormation | on | ingredients | · 3.2 |
|------------|------|--------------|----------|----|-------------|-------|
|------------|------|--------------|----------|----|-------------|-------|

Mixtures

| Dangerous components: | | |
|---|--|----------|
| CAS: 72623-87-1 EINECS: 276-738-4 Reg.nr.: 01-2119474889-13 | Lubricating oils (petroleum), C20-50, hydrotreated neutral 5 oil-based | 0-100% |
| CAS: 64742-54-7 EINECS: 265-157-1 Reg.nr.: 01-2119484627-25 | Distillates (petroleum), hydrotreated heavy paraffinic | 2.5-10% |
| | Interchangeable low viscosity base oil (<20,5 cSt @40 °C) * | 1-2.5% |
| CAS: 36878-20-3 EINECS: 253-249-4 Reg.nr.: 01-2119488911-28 | bis(nonylphenyl)amine R53 Aquatic Chronic 4, H413 | 1-2.5% |
| CAS: 2215-35-2 EINECS: 218-679-9 Reg.nr.: 01-2119953275-34 | zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)0.1- bis(phosphorodithioate) Xi R38-41; RN R51/53 Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315 | 1.0% |
| CAS: 84605-29-8 EINECS: 283-392-8 Reg.nr.: 01-2119493626-26 | Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl 0 and iso-Pr) esters, zinc salts Xi R38-41; RN R51/53 Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315 | .1-1.0% |
| CAS: 122-39-4 EINECS: 204-539-4 | diphenylamine T R23/24/25; N R50/53 R33 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | 0.1-1.0% |

Additional information:

Contains one or more of the following CAS-numbers: 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-65-0, 64742-71-8, 68037-01-4, 72623-83-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 8042-47-5, 848301-69-9. For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

(Contd. on page 3)

GB

Printing date 13.02.2015

Version number 1

Revision: 19.01.2015

Trade name: ARDECA PURE SPORTS 5W30

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
 - CO2, dry chemical, or foam. Water can be used to cool and protect exposed material. ·
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Remove from the water surface (e.g. skim or suck off).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

. 7.1 Precautions for safe handling

No special measures required.

- Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities ·
- Storage:

· Requirements to be met by storerooms and receptacles: Store only in the original receptacle. ·

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

122-39-4 diphenylamine

WEL Short-term value: 20 mg/m³

Long-term value: 10 mg/m³

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 13.02.2015

Version number 1

Revision: 19.01.2015

(Contd. of page 3)

Trade name: ARDECA PURE SPORTS 5W30

- · 8.2 Exposure controls
- · Personal protective equipment:

· General protective and hygienic measures: Wash hands before breaks and at the end of work. · Respiratory protection: Not required.

· Protection of hands:



Wear gloves for the protection against chemicals according to EN 374.

Oil resistant gloves

· Material of gloves

Nitrile rubber, NBR

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed.

Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling ·

Body protection: Protective work clothing

| SECTION 9: Physical and chemic | |
|--|---|
| 9.1 Information on basic physical | and chemical properties · |
| General Information | |
| Appearance: Form: | Liquid |
| Colour: | Brown |
| · Odour: | Characteristic |
| | |
| Change in condition | Undetermined. |
| Boiling point/Boiling range: • Drip point: | Undetermined. |
| Pour point | -36 °C (ASTM D97) |
| • | > 110 °C |
| Flash point: Elammachility (coolid, googoous): | |
| Flammability (solid, gaseous): Self-igniting: | Not applicable. |
| | Product is not selfigniting. |
| Danger of explosion: Explosion limits: | Product does not present an explosion hazard. |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Density at 20 °C: | 0.857 g/cm ³ |
| · Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |

Printing date 13.02.2015

Version number 1

Revision: 19.01.2015

Trade name: ARDECA PURE SPORTS 5W30

| | | (Contd. of page 4) |
|--|--|--------------------|
| · Partition coefficient (n-octanol/v | vater): Not determined. | |
| Viscosity: 40 °C | 67.3 mm²/s (ASTM D445) | |
| Solvent content: Organic solvents: | 0.0 % | |
| • 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: To
- avoid thermal decomposition do not overheat.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available. 12.3
- Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

GB

Printing date 13.02.2015

Version number 1

Revision: 19.01.2015

Trade name: ARDECA PURE SPORTS 5W30

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

13 02 06* synthetic engine, gear and lubricating oils

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

| Void |
|-----------------|
| Void |
| |
| Void |
| Void |
| No |
| Not applicable. |
| Not applicable. |
| - |
| |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

4 0. 0. OFOTION 10 OF

H301 Toxic if swallowed.

(Contd. on page 7) GB

(Contd. of page 5)

| Frade name: | ARDECA PURE SP | ORTS 5W30 | |
|-----------------------------|---|---|--|
| | | | (Contd. of page 6) |
| H304 | May be fatal if swa | allowed and enters airways. | (Conta. of page o) |
| H311 | Toxic in contact w | | |
| H315 | Causes skin irritat | ion. | |
| H318 | Causes serious ey | ye damage. | |
| H331 | Toxic if inhaled. | _ | |
| H373 | | ge to organs through prolonged or repea | ated exposure. |
| H400 | Very toxic to aqua | | |
| H410 | | tic life with long lasting effects. | |
| H411 | | e with long lasting effects. | |
| H413 | May cause long la | sting harmful effects to aquatic life. | |
| R23/24/2 | 25 Toxic by inhalation | n, in contact with skin and if swallowed. | |
| R33 | Danger of cumula | | |
| R38 | Irritating to skin. | | |
| R41 | Risk of serious da | mage to eyes. | |
| R50/53 | Very toxic to aqua | itic organisms, may cause long-term ac | lverse effects in the aquatic |
| | environment. | | |
| R51/53 | | rganisms, may cause long-term advers | e effects in the aquatic |
| | environment. | | |
| R53 | May cause long-te | erm adverse effects in the aquatic enviro | onment. |
| Departm | ent issuing MSDS: | Product safety department. | |
| Contact: F | Product safety depart | ment | |
| | tions and acronyms: | | |
| | | sport des marchandises dangereuses par Rou | ite (European Agreement concerning the |
| | al Carriage of Dangerous rnational Maritime Code for | | |
| | national Air Transport Ass | | |
| GHS: Glob | ally Harmonised System of | of Classification and Labelling of Chemicals | |
| | | ting Commercial Chemical Substances | |
| | uropean List of Notified Cl | division of the American Chemical Society) | |
| | 3: Acute toxicity, Hazard (| | |
| Skin Irrit. 2: | Skin corrosion/irritation, H | Hazard Category 2 | |
| | | e irritation, Hazard Category 1 | 2 |
| | : Aspiration hazard, Haza | toxicity - Repeated exposure, Hazard Category | 2 |
| Aquatic Ac | ute 1: Hazardous to the a | quatic environment - AcuteHazard, Category 1 | |
| | | e aquatic environment - Chronic Hazard, Categ | |
| | | e aquatic environment - Chronic Hazard, Categ aquatic environment - Chronic Hazard, Category | |
| Sources | TUTILE 4. TIAZATUUUS IU INE | aqualle environment - enronic nazaru, calegory | 7 |
| 67/548/E | FC | | |
| 99/45/EE | | | |
| | | | |
| EC/453-2 | 2010 | | |