

Gulf Racing Synthetic Passenger Car Motor Oil

Product Description

Gulf Racing Series are advance performance synthetic passenger car engine oil formulated from finest quality synthetic base stocks and state-of-the-art additive technology. It has been specially developed for all modern turbocharged, high output gasoline engines and some diesel engines of cars used in high performance passenger cars as well as SUVs, light vans and trucks. It is designed to provide excellent engine cleanliness and wear protection.

Features & Benefits

- Outstanding thermo-oxidative stability reduces deposits & sludge build-up and facilitates extended oil & engine life
- Superior antiwear technology provides excellent wear protection under all conditions
- Active cleaning agents ensure maximum engine cleanliness resulting in trouble free engine operation
- Excellent low temperature fluidity aids quick cold start and provides wear protection at start-up
- Effective Stay-in-Grade performance ensures reliable lubrication even at higher load and operating temperatures
- Exceptionally high viscosity index ensures right oil film even at high operating temperatures encountered in driving conditions similar to racing.

Applications

- High performance, turbo-charged, super charged, naturally-aspirated, multi valve gasoline powered cars
- Some diesel powered cars including those with indirect injection
- Passenger cars requiring oils approved as API SN SM, SL, SJ.

Specifications, Approvals & Typical Properties

Has the following Approval		5W-50	10W-60
API SN		X	X
Typical Properties			
Test Parameters	ASTM Method	Typical Values	Typical Values
Viscosity @ 100 °C, cSt	D 445	17.30	22.80
Viscosity Index	D 2270	180	182
Flash Point, °C	D 92	222	225
Pour Point, °C	D 97	-39	-39
TBN, mg KOH/g	D 2896	8.4	8.4
Density @ 15°C, Kg/l	D 1298	0.852	0.862
Sulphated Ash, %wt	D 874	0.80	0.80

July 2017